

## DH-IPC-HDW2320R-Z(S)

---

### 3MP HD Network Small IR Dome Camera



#### Features

- 1/3" 3Megapixel progressive scan CMOS
- H.264&MJPEG dual-stream encoding
- 20fps@3M(2304×1296)
- DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 2.7mm~12mm motorized lens
- Max. IR LEDs Length 60m
- IP67, PoE

# DH-IPC-HDW2320R-Z(S)

## Technical Specifications


|                          |             |                                                                                                                                              |
|--------------------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Model</b>             |             | <b>DH-IPC-HDW2320R-Z(S)</b>                                                                                                                  |
| <b>Camera</b>            |             |                                                                                                                                              |
| Image Sensor             |             | 1/3" 3Megapixel progressive scan CMOS                                                                                                        |
| Effective Pixels         |             | 2304(H) × 1296(V)                                                                                                                            |
| Scanning System          |             | Progressive                                                                                                                                  |
| Electronic Shutter Speed |             | Auto/Manual, 1/3(4)~1/100000s                                                                                                                |
| Min. Illumination        |             | 0. 1Lux/F1.4(Color), 0Lux/F1.4(IR on)                                                                                                        |
| S/N Ratio                |             | More than 50dB                                                                                                                               |
| Video Output             |             | N/A                                                                                                                                          |
| <b>Camera Features</b>   |             |                                                                                                                                              |
| Max. IR LEDs Length      |             | 60m                                                                                                                                          |
| Day/Night                |             | Auto(ICR)/Color/B/W                                                                                                                          |
| Backlight Compensation   |             | BLC / HLC / DWDR                                                                                                                             |
| White Balance            |             | Auto/Manual                                                                                                                                  |
| Gain Control             |             | Auto/Manual                                                                                                                                  |
| Noise Reduction          |             | 3D                                                                                                                                           |
| Privacy Masking          |             | Up to 4 areas                                                                                                                                |
| <b>Lens</b>              |             |                                                                                                                                              |
| Focal Length             |             | 2.7mm~12mm                                                                                                                                   |
| Max Aperture             |             | F1.4                                                                                                                                         |
| Focus Control            |             | Auto                                                                                                                                         |
| Angle of View            |             | H: 85°~27°                                                                                                                                   |
| Lens Type                |             | Motorized lens                                                                                                                               |
| Mount Type               |             | Board-in Type                                                                                                                                |
| <b>Video</b>             |             |                                                                                                                                              |
| Compression              |             | H.264/ H.264H/ H.264B/ MJPEG                                                                                                                 |
| Resolution               |             | 3M(2304x1296)/1080P(1920x1080)/720P(1280×720)/D1(704×576/704×480) /CIF(352×288/352×240)                                                      |
| Frame Rate               | Main Stream | 3M(1~20fps),1080P/720P(1 ~ 25/30fps)                                                                                                         |
|                          | Sub Stream  | D1/CIF(1 ~ 25/30fps)                                                                                                                         |
| Bit Rate                 |             | H.264: 16K ~ 10Mbps                                                                                                                          |
| <b>Audio</b>             |             |                                                                                                                                              |
| Compression              |             | N/A                                                                                                                                          |
| Interface                |             | N/A                                                                                                                                          |
| <b>Network</b>           |             |                                                                                                                                              |
| Ethernet                 |             | RJ-45 (10/100Base-T)                                                                                                                         |
| Wi-Fi                    |             | N/A                                                                                                                                          |
| Protocol                 |             | IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS, Bonjour |
| Compatibility            |             | ONVIF,PSIA,CGI                                                                                                                               |
| Max. User Access         |             | 20 users                                                                                                                                     |

## DH-IPC-HDW2320R-Z(S)

|                            |                                      |
|----------------------------|--------------------------------------|
| Smart Phone                | iPhone, iPad, Android, Windows Phone |
| <b>Auxiliary Interface</b> |                                      |
| Memory Slot                | Micro SD,Max 128GB(only for -ZS)     |
| RS485                      | N/A                                  |
| Alarm                      | N/A                                  |
| PIR Sensor Range           | N/A                                  |
| <b>General</b>             |                                      |
| Power Supply               | DC12V, PoE (802.3af)                 |
| Power Consumption          | Max 7.5W                             |
| Working Environment        | -30°C~+60°C, Less than 95% RH        |
| Ingress Protection         | IP67                                 |
| Vandal Resistance          | N/A                                  |
| Dimensions                 | Φ122mm x 102mm                       |
| Weight                     | 0.55Kg                               |

## DH-IPC-HDW2320R-Z(S)

### Dimensions (mm)



#### **Dahua Technology Co., Ltd.**

1187BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: [overseas@dahuatech.com](mailto:overseas@dahuatech.com)

[www.dahuatech.com](http://www.dahuatech.com)

\*Design and specifications are subject to change without notice.

© 2013 Dahua Technology Co., Ltd.